GRAVOIS FIRE PROTECTION DISTRICT

Serving the People Since 1970



P.O. Box 1348 · Laurie, MO 65038 · (573) 374-4442 · Fax (573) 374-4373

Invitation to Bid

Sale of Surplus Vehicle

The Gravois Fire Protection District is requesting sealed bids for the sale of one 2014 Ford F150 XL. It has 148,620 miles as of posting; it may have more as of sale date. This vehicle has been taken out of service and will be sold in "as is" condition with no warranty expressed or implied.

The Gravois Fire Protection District urges prospective bidders to view the vehicle before submitting a bid. If the winning bidder is an agency or emergency responder with a letter from their administrator, the emergency equipment (not Radio) will remain in the vehicle, otherwise it will be removed before it leaves Fire District property. All fire dept insignia will be removed prior to sale.

The above vehicle will be available for inspection at 215 Hwy O Gravois Mills Mo. 65037 Monday through Friday from 8:00 am to 4:00 pm other times available by appointment.

Bids must be placed in a sealed envelope marked "Surplus Vehicle" and be addressed to:

Gravois Fire Protection District 215 Hwy O Gravois Mills, MO 65037

Sealed bids must be received by the Gravois Fire Protection District prior to 4:00 pm on Tuesday, August 6th 2024. NO bids will be accepted after bid closing for any reason! These bids will be opened at the regular scheduled board meeting, 10:00 am on August 7th, 2024

The Gravois Fire Protection District reserves the right to accept or reject any and all bids in part and to waive informalities and irregularities, as it may deem to be in the best interest of the District.

Minimum Bid is \$7,500.00

Thank you.

Chief Dustin Hancock

2014 Ford F150 XL 5.0 V8 gas with automatic transmission VIN # 1FTFX1EF3EFB70558 Power windows ARE camper shell with windows on side and back that open Front grill guard After market Trail FX rear bumper 6.5 ft. bed with slide out bed tray from Bedslide.com PYLE back up camera Cabala's front seat covers